

12V

INTERIOR

MW Interior	GENERICA Interior	CL Interior	SLIM Interior	FL Interior	TUBO Interior
RS	--	--	--	--	--
15W-12V@1.3A	--	--	--	--	--
25W-12V@2.1A	--	--	24W-12V@2A	--	--
LRS	--	--	--	--	--
35W-12V@3A	--	--	36W-12V@3A	--	36W-12V@3A
50W-12V@4.2A	--	12V@4.2A	60W-12V@5A	50W-12V@4.2A	48W-12V@4A
75W-12V@6A	12V@10A	12V@6A	--	75W-12V@4.2A	60W-12V@5A
100W-12V@8.5A	12V@12.5A	12V@8.5A	100W-12V@8.3A	100W-12V@8.5A	72W-12V@6A
150W-12V@12.5A	12V@16A	--	--	150W-12V@12.5A	--
200W-12V@17A	12V@20A	12V@17A	--	200W-12V@17A	--
350W-12V@29A	12V@30A	12V@29A	--	350W-12V@14.6A	--
450W-12V@37.5A	12V@40A	--	--	--	--
600W-12V@50A	12V@50A	--	--	--	--



EXTERIOR

LPV Exterior	XLG Exterior	GENERICA Exterior
--	--	--
--	--	--
20W-12V@1.67A	--	--
35W-12V@3A	--	--
60W-12V@5A	75W-12V@5A	50W-12V@4.16A
100W-12V@8.5A	100W-12V@8A	100W-12V@8.3A
LPVL	150W-12V@12.5A	--
150W-12V@10A	200W-12V@16A	250W-12V@20A
	320W-12V@18A	--
	HLG	--
	80W-12V@5A	--
	150W-12V@12.5A	--
	600W-12V@40A	--



DIMERIZABLES EXTERIOR

• DIM TRIAC SC POWER

50W-12V@4.16A
80W-12V@6.6A
100W-12V@8.33A
120W-12V@10A
150W-12V@12.5A
200W-12V@16.6A



• DIM 0-10V

MW	SC POWER
ELG	-
150W-AB-3Y-12V@10A	-



• DALI

MW
ELG
200W-DA-12V@16A



• SEMIEXTERIOR FUENTES ESPEJO

24W-12V@2A
36W-12V@3A
60W-12V@5A



• RIEL DIN

MDR
20W-12V@1.67A
60W-12V@5A
100W-12V@7.5A
HDR
150W-12V@11.3A



24V

INTERIOR

MW Interior	GENERICA Interior	CL Interior	SLIM Interior	FL Interior	TUBO Interior
RS	--	--	--	--	--
15W-24V@0.7A	--	--	--	--	--
25W-24V@1.1A	--	--	24W-24V@1A	--	--
LRS	--	--	--	--	--
35W-24V@1.5A	--	--	--	--	36W-24V@1.5
50W-24V@2.2A	24V@2.5A	--	60W-24V@2.5A	--	48W-24V@2A
75W-24V@3.2A	--	--	--	--	60W-24V@2.5A
100W-24V@4.5A	24V@5A	24V@4.5A	100W-24V@4.1A	100W-24V@4.2A	72W-24V@3A
150W-24V@6.5A	--	24V@6.5A	--	--	--
200W-24V@8.8A	--	--	--	200W-24V@8.8A	--
350W-24V@14.5A	24V@15A	24V@14.6A	--	350W-24V@14.6A	--
450W-24V@18.8A	24V@20A	--	--	--	--
600W-24V@25A	--	--	--	--	--
SE	--	--	--	--	--
600W-24V@25A	--	--	--	--	--
SLD	--	--	--	--	--
50W-24V@2.1A	--	--	--	--	--

EXTERIOR

LPV Exterior	XLG Exterior	GENERICA Exterior
--	--	--
--	--	--
--	--	--
--	--	--
35W-24V@1.5A	--	--
60W-24V@2.5A	75W-24V@3.1A	--
100W-24V@8.2A	100W-24V@4A	--
LPVL	150W-24V@6.25A	--
150W-24V@6.3A	200W-12V@8.3A	--
	320W-12V@13A	--



DIMERIZABLES EXTERIOR

• DIM TRIAC SC POWER

25W-24V@1.05A
50W-24V@2.08A
60W-24V@2.5A
80W-24V@3.33A
100W-24V@4.16A
120W-24V@5A
150W-24V@6.25A
200W-24V@8.33A



• DIM 0-10V

MW	SC POWER
ELG	--
150W-AB-3Y-24V@6.25A	150W-24V@6.25
240W-AB-3Y-24V@10A	200W-24V@8.33
--	280W-24V@11.66



• DALI

MW
ELG
100W-DA-24V@4A
200W-DA-24V@8.4A



INTERIOR

• RIEL DIN

MDR
60W-24V@2.5A
100W-24V@4A
HDR
150W-24V@6.5A
DR
100W-24V@4.2A
NDR
150W-24V@5A
240W-24V@10A



5V

INTERIOR

MW	GENERICA	CL
RS	--	--
15W-5V@3A	--	--
25W-5V@5A	5V@6A	--
LRS	--	--
35W-5V@7A	--	--
50W-5V@10A	5V@10A	5V@10A
75W-5V@14A	--	5V@14A
100W-5V@18A	5V@20A	5V@19.6A
150FW-5V@22A	5V@30A	--
200W-5V@40A	5V@40A	5V@40A
350W-5V@60A	5V@60A	5V@70A



48V

INTERIOR

MW	CL
LRS	--
150W-48V@3.3A	
200W-48V@4.4A	
350W-48V@7.3A	350W-48V@7.5A
600W-48V@12.5A	
RSP	
1000W-48V@21A	
1500W-48V@32A	
SE	
100W-48V@20.8A	
1500W-48V@31.3A	



EXTERIOR

LPV	HLG
60W-48V@1.25A	--
100W-48V@2.1A	80W-24V@1.7A
	--
80W-24V@1.7A	--



• DIM 0-10V

EXTERIOR


MW	DALI
ELG	ELG
100W-AB-3Y-48V@2A	100W-DA-48V@2A
150W-DA-48V@3.13A	150W-DA-48V@3.13A
240W-DA-48V@5A	200W-DA-48V@4.16A



15V

INTERIOR

MW	CL
LRS	--
--	35W-15V@2.4A
50W-15V@3.4A	50W-15V@3.4A



36V

INTERIOR

MW	CL
LRS	--
350W-36V@9.7A	350W-36V@9.9A



• MULTIVOLTAJE

INTERIOR

• 2 CANALES

	CH1	CH2
RD-50A	5V(6A)	12V(2A)
RD-50B	5V(4A)	24V(1.4A)



• 4 CANALES

	CH1	CH2	CH3	CH4
RQ-65B	5V(6A)	12V(2A)	-5V(0.5A)	-12V(0.5A)
RQ-125D	5V(8A)	12V(2.5A)	24V(2A)	-12V(0.5A)

• DRIVERS CORRIENTE CONSTANTE

• DIMERIZABLES 0-10V,10V,RX,PWM

INTERIOR



300mA 25V - 42V
600mA 25V - 42V
1200mA 25V - 42V

EXTERIOR



XLG-50-AB
1000mA 22V-54V

Un: 100-277V ~ In: 0.3A
Fn: 50/60Hz Irated: 300mA(CC)
Output Voltage: 25-42V ~ Prated: 12.6W
Uout: 55V ~ tc: 90°C
PF: 0.9C ta: 50°C

LED Driver
Model:LF-GLD025YS0300U
Control Mode:0-10V&Resistance&PWM
Suitable for dimmers
Class 2 output&dimming
For LED modules only

COD: 6700146
300mA

Un: 100-277V ~ In: 0.42A
Fn: 50/60Hz Irated: 600mA(CC)
Output Voltage: 25-42V ~ Prated: 25.2W
Uout: 55V ~ tc: 90°C
PF: 0.9C ta: 50°C

LED Driver
Model:LF-GLD035YS0600U
Control Mode:0-10V&Resistance&PWM
Suitable for dimmers
Class 2 output&dimming
For LED modules only

COD: 6700147
600mA

Un: 100-277V ~ In: 0.7A
Fn: 50/60Hz Irated: 1200mA(CC)
Output Voltage: 25-42V ~ Prated: 50.4W
Uout: 55V ~ tc: 90°C
PF: 0.9C ta: 50°C

LED Driver
Model:LF-GLD055YS1200U
Control Mode:0-10V&Resistance&PWM
Suitable for dimmers
Class 2 output&dimming
For LED modules only

COD: 6700148
1200mA



COD: 6700121
XLG-50-AB

• DIMERIZABLES POR TRIAC



ESTAS REFERENCIAS TIENEN
DIFERENTES RANGOS DE
CORRIENTE
SELECCIONABLES POR
DIP-SWITCH

INTERIOR

Model	Output	Input	Certificate	Size
KIF-010-TDW DIP Adjustment (Multi-current)	3-42V 100mA TTTT	100-277VAC	ENEC, CB Pending UL, FCC, CE, RoHS, SAA	135*30*20mm
	3-42V 150mA TTTT			
	3-42V 200mA TTTT			
	3-40V 250mA TTTT			
	3-33V 300mA TTTT			
	3-29V 350mA TTTT			
	3-25V 400mA TTTT			
KIF-040-TDW DIP Adjustment (Multi-current)	3-22V 450mA TTTT	100-277VAC	ENEC, CB Pending UL, FCC, CE, RoHS, SAA	171.5*54*20mm
	3-65V 300mA TTTT			
	3-65V 350mA TTTT			
	3-65V 400mA TTTT			
	3-65V 450mA TTTT			
	3-65V 500mA TTTT			
	3-65V 550mA TTTT			
	3-65V 600mA TTTT			
	3-62V 650mA TTTT			
	3-57V 700mA TTTT			
	3-50V 800mA TTTT			
	3-45V 900mA TTTT			
	3-40V 1000mA TTTT			
	3-37V 1100mA TTTT			
KIF-060-TDW DIP Adjustment (Multi-current)	3-34V 1200mA TTTT	100-277VAC	ENEC, CB Pending UL, FCC, CE, RoHS, SAA	192.5*62*24mm
	3-31V 1300mA TTTT			
	3-29V 1400mA TTTT			
	3-65V 600mA TTTT			
	3-65V 700mA TTTT			
	3-65V 800mA TTTT			
	3-65V 900mA TTTT			
	3-60V 1000mA TTTT			
	3-55V 1100mA TTTT			
	3-50V 1200mA TTTT			
	3-46V 1300mA TTTT			
	3-43V 1400mA TTTT			
	3-40V 1500mA TTTT			
	3-38V 1600mA TTTT			
	3-35V 1700mA TTTT			
	3-33V 1800mA TTTT			
	3-32V 1900mA TTTT			
	3-30V 2000mA TTTT			
	3-29V 2100mA TTTT			

COD:6010072
10W



COD:6010073
40W



COD:6010074
60W

